





Accessories for rotary tools in dental and industrial quality:
Milling Bits.

For non-ferrous metals, plastic, plaster: Tungsten Vanadium Milling Bits



NO 28 722




NO 28 727



NO 28 725




NO 28 724




NO 28 723



NO 28 726



NO 28 720




NO 28 710


Tungsten Vanadium Milling Bits

Selected tungsten vanadium steel. Purposely made of stable construction with head and shaft out of a single blank. The precise flutes and optimal concentricity ensure best life expectancy. All shanks 2.35 or 3mm (3/32" or 7/64"). For use on hard and soft woods, non-ferrous metals and precious metals, as well as plastics and plaster of paris. Ideal for milling, routing, shaping, profiling and slotting. For clean and powerful fitting of the milling bits we recommend the use of **MICROMOT steel collets**.


For steel, glass, circuit boards: Tungsten Carbide Milling Cutters



NO 28 750




NO 28 752



NO 28 758



NO 28 759




NO 28 761



NO 28 760

Tungsten Carbide Milling Cutters

For working on extremely hard materials: steel, cast iron, non-ferrous metals, plastics. Vibration-free milling of high accuracy dimensions. Ideal for technical work, engraving or milling circuit-boards. Shanks \varnothing 3mm (7/64") or \varnothing 2.35mm (3/32"). Note: Please make sure to clamp work piece securely when milling. Here also we recommend the use of **MICROMOT steel collets**.



NO 28 757

Rasp Cutter

Tungsten Carbide. For cutting and milling tiles, stoneware, wood and plastics. Shank \varnothing 2.35mm (3/32").

California Residents Prop 65 Information

 **WARNING:**

This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.